

TTS Worldwide Ocean Container Specifications

Pg. 1

Standard Containers	Door Opening	Interior Length	Interior Width	Interior Height	Weight/Capacity/Payload	Use
<b>20' Box</b>	W: 7'8" 2.34m H: 7'6" 2.28m	19'4" 5.89m	7'8" 2.34m	7'10" 2.38m	Tare Weight: 4,916 lbs. 2,229 kg. Cubic Capacity: 1,158 cu. ft. 32.80 cbm Payload: 47,999 lbs. 21,727 kg.	General goods
<b>40' Box</b>	W: 7'8" 2.34m H: 7'6" 2.28m	39'5" 12.01m	7'8" 2.34m	7'10" 2.38m	Tare Weight: 8,160 lbs. 3,701 kg. Cubic Capacity: 2,362 cu. ft. 66.89 cbm Payload: 59,040 lbs. 26,780 kg.	General goods
<b>40' High Cube</b>	W: 7'8" 2.34m H: 8'5" 2.56m	39'5" 12.01m	7'8" 2.34m	8'10" 2.69m	Tare Weight: 8,750 lbs. 3,968 kg. Cubic Capacity: 2,670 cu. ft. 75.60 cbm Payload: 58,450 lbs. 26,512 kg.	General goods
<b>45' High Cube</b>	W: 7'8" 2.34m H: 8'5" 2.56m	44'6" 13.58m	7'8" 2.34m	8'10" 2.69m	Tare Weight: 9,061 lbs. 4,110kg. Cubic Capacity: 3,019 cu. ft. 85.48 cbm Payload: 62,589 lbs. 28,390 kg.	Voluminous and light cargo
<b>Reefer Containers</b>						
<b>20' Reefer</b>	W: 7'5" 2.26m H: 7'3" 2.20m	17'8" 5.38m	7'5" 2.26m	7'5" 2.26m	Tare Weight: 7,040 lbs. 3,193 kg. Cubic Capacity: 970 cu. ft. 27.48 cbm Payload: 45,760 lbs. 20,756 kg.	Goods requiring a constant temperature above/below freezing point; controlled fresh air supply
<b>40' Reefer</b>	W: 7'5" 2.26m H: 7'3" 2.20m	37'11" 11.56m	7'5" 2.26m	7'5" 2.26m	Tare Weight: 10,780 lbs. 4,889 kg. Cubic Capacity: 2,085 cu. ft. 59.04 cbm Payload: 56,276 lbs. 25,526 kg.	Goods requiring a constant temperature above/below freezing point; controlled fresh air supply
<b>40' Reefer High Cube</b>	W: 7'5" 2.26m H: 8'2" 2.50m	37'11" 11.56m	7'5" 2.26m	8'2" 2.49m	Tare Weight: 9,524 lbs. 4,320 kg. Cubic Capacity: 2,297 cu. ft. 65.05 cbm Payload: 62,126 lbs. 28,180 kg.	Goods requiring a constant temperature above/below freezing point; controlled fresh air supply

*Dimensions represent common internal and external dimensions and may vary depending upon carrier and availability.*

TTS Worldwide Ocean Container Specifications

Pg. 2

Specialized Containers	Door Opening	Interior Length	Interior Width	Interior Height	Weight/Capacity/Payload	Use
<b>20' Open Top</b>	Removable Door Header	19'4" 5.89m	7'7" 2.31m	7'8" 2.34m	Tare Weight: 5,280 lbs 2,394 kg.  Cubic Capacity: 1,124 cu. ft. 31.84 cbm  Payload: 47,620 lbs 21,600 kg.	Overheight goods, loading from above/side possible
<b>40' Open Top</b>	Removable Door Header	39'5" 12.01m	7'7" 2.31m	7'8" 2.34m	Tare Weight: 8,490 lbs 3,850 kg.  Cubic Capacity: 2,293 cu. ft. 64.92 cbm  Payload: 58,710 lbs 26,630 kg.	Overheight goods, loading from above/side possible
<b>20' Flat Rack</b>		18'5" 5.61m	7'3" 2.20m	7'4" 2.23m	Tare Weight: 5,578 lbs 2,530 kg.  Payload: 47,333 lbs 21,469 kg.	Heavy and extra-wide goods
<b>40' Flat Rack</b>		39'7" 12.06m	7'3" 2.20m	7'4" 2.23m	Tare Weight: 12,081 lbs 5,479 kg.  Payload: 85,800 lbs 38,918 kg.	Heavy and extra wide goods
<b>40' Collapsible</b>		39'7" 12.06m	7'3" 2.20m	7'4" 2.23m	Tare Weight: 12,783 lbs 5,798 kg.  Payload: 66,397 lbs 30,117 kg.	Heavy and extra-wide goods
<b>Flat Rack</b>						
<b>20'/40' Platform</b>		19'11" 6.07m  40'  12.19m	8'0" 2.43m  8'  2.43m		Tare Weight: 12,783 lbs 5,798 kg.  Payload: 66,397 lbs 30,117 kg.  Tare Weight: 12,783 lbs 5,798 kg.  Payload: 66,397 lbs 30,117 kg.	Heavy and extra-wide goods
<b>20' Ventilated</b>	W: 7'6" 2.29m H: 7'5" 2.28m	19'7" 5.94m	7'3" 2.21m	7'9" 2.38m	Payload: 48,215 lbs 21,870 kg.	For goods requiring ventilation
<b>20' Bulk</b>	W: 7'8" 2.34m H: 7'5" 2.27m	19'4" 5.89m	7'9" 2.36m	7'8" 2.35m	Tare Weight: 5,622 lbs 2,550 kg.  Cubic Capacity: 1,151 cu. ft. 32.6 cbm  Payload: 47,289 lbs 21,450 kg.	For dry bulk goods

*Dimensions represent common internal and external dimensions and may vary depending upon carrier and availability.*

## Metric to US Conversion Chart

Metric	US Conversion	Metric	US Conversion	Metric	US Conversion	Metric	US Conversion
1 cm	0.3937 inches	1,000 kg	1.102 short tons	1 inch	2.54 cm	1 short ton	908 kg
1 m	3.281 feet	1 cm <sup>2</sup>	0.061 cu-inches	1 foot	0.305 m	1 cu-inch	16.3873 cm <sup>2</sup>
1 m	1.094 yards	1 m <sup>2</sup>	35.3134 cu-feet	1 yard	0.914 m	1 cu-foot	0.0283 m <sup>2</sup>
1 g	0.0353 ounces	1 m <sup>2</sup>	1.3079 cu-yards	1 ounce	28.35 g	1 cu-yard	0.765 m <sup>2</sup>
1 kg	2.205 pounds	1 km	0.621373 miles	1 pound	0.4536 kg	1 mile	1.60934 km